

Pinion	Lautas pyörä	Välitys	Käyttö
7	17	2.429	
7	18	2.571	
7	19	2.714	
7	20	2.857	
7	22	3.143	
7	23	3.286	
7	24	3.429	
7	25	3.571	
7	26	3.714	
7	27	3.857	
7	29	4.143	
7	30	4.286	
7	31	4.429	
7	32	4.571	
7	33	4.714	
7	34	4.857	
7	36	5.143	
7	37	5.286	
7	38	5.429	
7	39	5.571	
7	40	5.714	
7	41	5.857	
7	43	6.143	
7	44	6.286	
7	45	6.429	
7	46	6.571	
7	47	6.714	
7	48	6.857	
7	50	7.143	
7	51	7.286	
7	52	7.429	
7	53	7.571	
8	21	2.625	
8	22	2.750	
8	23	2.875	
8	25	3.125	
8	26	3.250	
8	27	3.375	
8	28	3.500	
8	29	3.625	
8	30	3.750	
8	31	3.875	
8	33	4.125	
8	34	4.250	
8	35	4.375	Toyota JTx10x...
8	37	4.625	UAZ uudet
8	38	4.750	RR, LR (KAM)
8	39	4.875	Toyota JTx14x...
8	41	5.125	GAZ, UAZ vanhat
8	42	5.250	
8	43	5.375	UAZ portaaliakseli
8	45	5.625	
8	46	5.750	
8	47	5.875	
8	49	6.125	
8	50	6.250	
8	51	6.375	
8	53	6.625	
8	54	6.750	
8	55	6.875	
8	57	7.125	
8	58	7.250	
8	59	7.375	
9	22	2.444	
9	23	2.556	

Pinion	Lautas pyörä	Välitys	Käyttö
13	43	3.308	
13	44	3.385	
13	45	3.462	
13	46	3.538	RR, LR (std+KAM)
13	47	3.615	
13	48	3.692	
13	49	3.769	
13	50	3.846	
13	51	3.923	
13	53	4.077	
13	54	4.154	
13	55	4.231	
13	56	4.308	
13	57	4.385	
13	58	4.462	
13	59	4.538	
13	60	4.615	
13	61	4.692	
13	62	4.769	
13	63	4.846	
13	64	4.923	
13	66	5.077	
13	67	5.154	
13	68	5.231	
13	69	5.308	
13	70	5.385	
13	71	5.462	
13	72	5.538	
13	73	5.615	
13	74	5.692	
13	75	5.769	
13	76	5.846	
13	77	5.923	
13	79	6.077	
13	80	6.154	
13	81	6.231	
13	82	6.308	
13	83	6.385	
13	84	6.462	
13	85	6.538	
13	86	6.615	
13	87	6.692	
13	88	6.769	
13	89	6.846	
13	90	6.923	
13	92	7.077	
13	93	7.154	
13	94	7.231	
13	95	7.308	
13	96	7.385	
13	97	7.462	
13	98	7.538	
14	36	2.571	
14	37	2.643	
14	38	2.714	
14	39	2.786	
14	40	2.857	
14	41	2.929	
14	43	3.071	
14	44	3.143	
14	45	3.214	
14	46	3.286	
14	47	3.357	
14	48	3.429	
14	50	3.571	

RR = Range Rover

std = vakiovälitys

LR = Land Rover

KAM = KAM Differentialsin erikoisvälitys

Pinion	Lautas pyörä	Välitys	Käyttö
9	24	2.667	
9	25	2.778	
9	26	2.889	
9	28	3.111	
9	29	3.222	
9	30	3.333	
9	31	3.444	Volvo 7.05:1-akseli
9	32	3.556	
9	33	3.667	Volvo 7.55:1-akseli
9	34	3.778	
9	35	3.889	
9	37	4.111	
9	38	4.222	
9	39	4.333	
9	40	4.444	
9	41	4.556	Toyota JTx25x...
9	42	4.667	
9	43	4.778	
9	44	4.889	
9	46	5.111	
9	47	5.222	
9	48	5.333	
9	49	5.444	
9	50	5.556	
9	51	5.667	
9	52	5.778	
9	53	5.889	
9	55	6.111	
9	56	6.222	
9	57	6.333	
9	58	6.444	
9	59	6.556	
9	60	6.667	
9	61	6.778	
9	62	6.889	
9	64	7.111	
9	65	7.222	
9	66	7.333	
9	67	7.444	
9	68	7.556	
10	26	2.600	
10	27	2.700	
10	28	2.800	
10	29	2.900	
10	31	3.100	
10	32	3.200	
10	33	3.300	
10	34	3.400	
10	36	3.600	
10	37	3.700	
10	38	3.800	RR, LR (KAM)
10	39	3.900	Niva 95->, Toyota JTx07x...
10	41	4.100	RR, LR (KAM), Niva 84-92 (95), Toyota JTx29x...
10	42	4.200	RR, LR (KAM)
10	43	4.300	Niva 78-84, Toyota JTx28x...
10	44	4.400	
10	46	4.600	
10	47	4.700	LR (std+KAM), RR (KAM)
10	48	4.800	
10	49	4.900	
10	51	5.100	
10	52	5.200	
10	53	5.300	
10	54	5.400	
10	56	5.600	

Pinion	Lautas pyörä	Välitys	Käyttö
14	51	3.643	
14	52	3.714	
14	53	3.786	
14	54	3.857	
14	55	3.929	
14	57	4.071	
14	58	4.143	
14	59	4.214	
14	60	4.286	
14	61	4.357	
14	62	4.429	
14	64	4.571	
14	65	4.643	
14	66	4.714	
14	67	4.786	
14	68	4.857	
14	69	4.929	
14	71	5.071	
14	72	5.143	
14	73	5.214	
14	74	5.286	
14	75	5.357	
14	76	5.429	
14	78	5.571	
14	79	5.643	
14	80	5.714	
14	81	5.786	
14	82	5.857	
14	83	5.929	
14	85	6.071	
14	86	6.143	
14	87	6.214	
14	88	6.286	
14	89	6.357	
14	90	6.429	
14	92	6.571	
14	93	6.643	
14	94	6.714	
14	95	6.786	
14	96	6.857	
14	97	6.929	
14	99	7.071	
14	100	7.143	
14	101	7.214	
14	102	7.286	
14	103	7.357	
14	104	7.429	
15	37	2.467	
15	38	2.533	
15	39	2.600	
15	40	2.667	
15	41	2.733	
15	42	2.800	
15	43	2.867	
15	44	2.933	
15	46	3.067	
15	47	3.133	
15	48	3.200	
15	49	3.267	
15	50	3.333	
15	51	3.400	
15	52	3.467	
15	53	3.533	
15	54	3.600	
15	55	3.667	

RR = Range Rover
LR = Land Rover

std = vakiovälitys
KAM = KAM Differentialsin erikoisvälitys

Pinion	Lautas pyörä	Välitys	Käyttö
10	57	5.700	
10	58	5.800	
10	59	5.900	
10	61	6.100	
10	62	6.200	
10	63	6.300	
10	64	6.400	
10	66	6.600	
10	67	6.700	
10	68	6.800	
10	69	6.900	
10	71	7.100	
10	72	7.200	
10	73	7.300	
10	74	7.400	
11	27	2.455	
11	28	2.545	
11	29	2.636	
11	30	2.727	
11	31	2.818	
11	32	2.909	
11	34	3.091	
11	35	3.182	
11	36	3.273	
11	37	3.364	
11	38	3.455	
11	39	3.545	
11	40	3.636	
11	41	3.727	
11	42	3.818	
11	43	3.909	
11	45	4.091	
11	46	4.182	
11	47	4.273	
11	48	4.364	
11	49	4.455	
11	50	4.545	
11	51	4.636	
11	52	4.727	
11	53	4.818	
11	54	4.909	
11	56	5.091	
11	57	5.182	
11	58	5.273	
11	59	5.364	
11	60	5.455	
11	61	5.545	
11	62	5.636	
11	63	5.727	
11	64	5.818	
11	65	5.909	
11	67	6.091	
11	68	6.182	
11	69	6.273	
11	70	6.364	
11	71	6.455	
11	72	6.545	
11	73	6.636	
11	74	6.727	
11	75	6.818	
11	76	6.909	
11	78	7.091	
11	79	7.182	
11	80	7.273	
11	81	7.364	

Pinion	Lautas pyörä	Välitys	Käyttö
15	56	3.733	
15	57	3.800	
15	58	3.867	
15	59	3.933	
15	61	4.067	
15	62	4.133	
15	63	4.200	
15	64	4.267	
15	65	4.333	
15	66	4.400	
15	67	4.467	
15	68	4.533	
15	69	4.600	
15	70	4.667	
15	71	4.733	
15	72	4.800	
15	73	4.867	
15	74	4.933	
15	76	5.067	
15	77	5.133	
15	78	5.200	
15	79	5.267	
15	80	5.333	
15	81	5.400	
15	82	5.467	
15	83	5.533	
15	84	5.600	
15	85	5.667	
15	86	5.733	
15	87	5.800	
15	88	5.867	
15	89	5.933	
15	91	6.067	
15	92	6.133	
15	93	6.200	
15	94	6.267	
15	95	6.333	
15	96	6.400	
15	97	6.467	
15	98	6.533	
15	99	6.600	
15	100	6.667	
15	101	6.733	
15	102	6.800	
15	103	6.867	
15	104	6.933	
15	106	7.067	
15	107	7.133	
15	108	7.200	
15	109	7.267	
15	110	7.333	
15	111	7.400	
15	112	7.467	
15	113	7.533	
16	41	2.563	
16	42	2.625	
16	43	2.688	
16	44	2.750	
16	45	2.813	
16	46	2.875	
16	47	2.938	
16	49	3.063	
16	50	3.125	
16	51	3.188	
16	52	3.250	

RR = Range Rover

LR = Land Rover

std = vakiovälitys

KAM = KAM Differentialsin erikoisvälitys

Pinion	Lautas pyörä	Välitys	Käyttö
11	82	7.455	
11	83	7.545	
12	31	2.583	
12	32	2.667	
12	33	2.750	
12	34	2.833	RR, LR (KAM)
12	35	2.917	
12	37	3.083	
12	38	3.167	
12	39	3.250	
12	40	3.333	
12	41	3.417	
12	43	3.583	
12	44	3.667	
12	45	3.750	
12	46	3.833	
12	47	3.917	
12	49	4.083	
12	50	4.167	
12	51	4.250	
12	52	4.333	
12	53	4.417	
12	55	4.583	
12	56	4.667	
12	57	4.750	
12	58	4.833	
12	59	4.917	
12	61	5.083	
12	62	5.167	
12	63	5.250	
12	64	5.333	
12	65	5.417	
12	67	5.583	
12	68	5.667	
12	69	5.750	
12	70	5.833	
12	71	5.917	
12	73	6.083	
12	74	6.167	
12	75	6.250	
12	76	6.333	
12	77	6.417	
12	79	6.583	
12	80	6.667	
12	81	6.750	
12	82	6.833	
12	83	6.917	
12	85	7.083	
12	86	7.167	
12	87	7.250	
12	88	7.333	
12	89	7.417	
12	91	7.583	
13	32	2.462	
13	33	2.538	
13	34	2.615	
13	35	2.692	
13	36	2.769	
13	37	2.846	
13	38	2.923	
13	40	3.077	
13	41	3.154	
13	42	3.231	

Pinion	Lautas pyörä	Välitys	Käyttö
16	53	3.313	
16	54	3.375	
16	55	3.438	
16	57	3.563	
16	58	3.625	
16	59	3.688	
16	60	3.750	
16	61	3.813	
16	62	3.875	
16	63	3.938	
16	65	4.063	
16	66	4.125	
16	67	4.188	
16	68	4.250	
16	69	4.313	
16	70	4.375	
16	71	4.438	
16	73	4.563	
16	74	4.625	
16	75	4.688	
16	76	4.750	
16	77	4.813	
16	78	4.875	
16	79	4.938	
16	81	5.063	
16	82	5.125	
16	83	5.188	
16	84	5.250	
16	85	5.313	
16	86	5.375	
16	87	5.438	
16	89	5.563	
16	90	5.625	
16	91	5.688	
16	92	5.750	
16	93	5.813	
16	94	5.875	
16	95	5.938	
16	97	6.063	
16	98	6.125	
16	99	6.188	
16	100	6.250	
16	101	6.313	
16	102	6.375	
16	103	6.438	
16	105	6.563	
16	106	6.625	
16	107	6.688	
16	108	6.750	
16	109	6.813	
16	110	6.875	
16	111	6.938	
16	113	7.063	
16	114	7.125	
16	115	7.188	
16	116	7.250	
16	117	7.313	
16	118	7.375	
16	119	7.438	
24	85	3.542	Range Rover uudet

RR = Range Rover
LR = Land Rover

std = vakiovälitys
KAM = KAM Differentialsin erikoisvälitys